

Cable to Cable

Mold Information:


- Price Key is the **Bold Letter** in the Mold Part No.
- Molds with Price Key "**L**" SOLD WITH HANDLES

Required Tools & Accessories:

- MH1 - Handle for "**B**" Price Key Molds (Page 73)
- MH2 - Handle for "**C**" Price Key Molds (Page 73)
- FLTIG - Flint Igniter when using NUWTube & when Price Key is "**L**" (Page 76)

Recommended Tools & Accessories:

- CCBRSH1 - Cable Cleaning Brush (Page 70)
- MCBRSH1 - Mold Cleaning Brushes (Page 71)



BS

(Butt Splice Cables)



Cable to Cable

Mold Information:


- Price Key is the **Bold Letter** in the Mold Part No.
- Molds with Price Key "**L**" & "**M**" SOLD WITH HANDLES

Required Tools & Accessories:

- FLTIG - Flint Igniter when using NUWTube & when Price Key is "**L**" & "**M**" (Page 76)

Recommended Tools & Accessories:

- CCBRSH1 - Cable Cleaning Brush (Page 70)
- MCBRSH1 - Mold Cleaning Brushes (Page 71)



PS

(Parallel Splice)

PS Connection Type

Cable Size		Mold Part No.	Weld Metal	
Run	Tap		NUWTube	UltraShot
#8 Solid	#8 Solid	PS8S8SL	NUWTUBE25	US25
#8 Stranded	#8 Stranded	PS88L	NUWTUBE25	US25
#6 Solid	#6 Solid	PS6S6SL	NUWTUBE25	US25
#6 Stranded	#6 Stranded	PS66L	NUWTUBE25	US25
#4 Solid	#4 Solid	PS4S4 SM	NUWTUBE32	US32
#4 Stranded	#4 Stranded	PS44 M	NUWTUBE32	US32
#2 Solid	#2 Solid	PS2S2 SM	NUWTUBE45	US45

BS Connection Type

Cable Size	Mold Part No.	Weld Metal	
		NUWTube	UltraShot
#6 Solid	BS6SL	NUWTUBE25	US25
#4 Stranded	BS4 L	NUWTUBE25	US25
#2 Solid	BS2SL	NUWTUBE32	US32
#2 Stranded	BS2 L	NUWTUBE32	US32
1/0 Stranded	BS1/0 B	NUWTUBE45	US45
2/0 Stranded	BS2/0 B	NUWTUBE65	US65
3/0 Stranded	BS3/0 B	NUWTUBE90	US90
4/0 Stranded	BS4/0 B	NUWTUBE90	US90
250 MCM	BS25C M	NUWTUBE115	US115
300 MCM	BS3C M	NUWTUBE115	US115
350 MCM	BS35C M	NUWTUBE150	US150
500 MCM	BS5C M	NUWTUBE200	US200
750 MCM	BS75C M	NUWTUBE2X150	US300
1000 MCM	BS1M M	NUWTUBE2X200	US400



Cable to Cable

Mold Information:

- Price Key is the **Bold Letter** in the Mold Part No.

Required Tools & Accessories:


- MH1 - Handle for "B" Price Key Molds (Page 73)
- MH2 - Handle for "C" Price Key Molds (Page 73)

Recommended Tools & Accessories:

- CCBRSH1 - Cable Cleaning Brush (Page 70)
- MCBRSH1 - Mold Cleaning Brushes (Page 71)



Listed 467



RT

(Run & Tap)

RT Connection Type

Cable Size		Mold Part No.	Weld Metal	
Run	Tap		NUWTube	UltraShot
#6 Stranded	#6 Stranded	RT66 B	NUWTUBE32	US32
#4 Stranded	#4 Stranded	RT44 B	NUWTUBE32	US32
#2 Solid	#2 Solid	RT252 SB	NUWTUBE45	US45
#2 Stranded	#6 Stranded	RT26 B	NUWTUBE45	US45
	#4 Stranded	RT24 B	NUWTUBE45	US45
	#2 Solid	RT22 SB	NUWTUBE45	US45
1/0 Stranded	#2 Stranded	RT22 B	NUWTUBE45	US45
	#6 Stranded	RT1/06 B	NUWTUBE45	US45
	#4 Stranded	RT1/04 B	NUWTUBE45	US45
	#2 Solid	RT1/02 SB	NUWTUBE45	US45
2/0 Stranded	#2 Stranded	RT1/02 B	NUWTUBE45	US45
	1/0 Stranded	RT1/01/0 B	NUWTUBE90	US90
	#6 Stranded	RT2/06 B	NUWTUBE45	US45
	#4 Stranded	RT2/04 B	NUWTUBE45	US45
	#2 Solid	RT2/02 SB	NUWTUBE45	US45
	#2 Stranded	RT2/02 B	NUWTUBE45	US45
3/0 Stranded	1/0 Stranded	RT2/01/0 B	NUWTUBE90	US90
	2/0 Stranded	RT2/02/0 B	NUWTUBE90	US90
	#6 Stranded	RT3/06 B	NUWTUBE45	US45
	#4 Stranded	RT3/04 B	NUWTUBE45	US45
	3/0 Stranded	RT3/03/0 B	NUWTUBE115	US115
	#2 Solid	RT3/02 SB	NUWTUBE45	US45
4/0 Stranded	#2 Stranded	RT3/02 B	NUWTUBE45	US45
	1/0 Stranded	RT3/01/0 B	NUWTUBE90	US90
	2/0 Stranded	RT3/02/0 B	NUWTUBE90	US90
	#6 Stranded	RT4/06 B	NUWTUBE90	US90
	#4 Stranded	RT4/04 B	NUWTUBE90	US90
	#2 Solid	RT4/02 SB	NUWTUBE90	US90
	#2 Stranded	RT4/02 B	NUWTUBE90	US90
	1/0 Stranded	RT4/01/0 B	NUWTUBE90	US90
2/0 Stranded	RT4/02/0 B	NUWTUBE90	US90	
3/0 Stranded	RT4/03/0 B	NUWTUBE115	US115	
4/0 Stranded	RT4/04/0 B	NUWTUBE150	US150	

Continued on next page

Cable to Cable

RT Connection Type Continued

Cable Size		Mold Part No.	Weld Metal	
Run	Tap		NUWTube	UltraShot
250 MCM	#2 Stranded	RT25CM2 B	NUWTUBE90	US90
	1/0 Stranded	RT25CM1/0 B	NUWTUBE90	US90
	2/0 Stranded	RT25CM2/0 B	NUWTUBE90	US90
	3/0 Stranded	RT25CM3/0 B	NUWTUBE150	US150
	4/0 Stranded	RT25CM4/0 B	NUWTUBE150	US150
	250 MCM	RT25CM25C MB	NUWTUBE150	US150
300 MCM	#2 Stranded	RT3CM2 B	NUWTUBE90	US90
	1/0 Stranded	RT3CM1/0 B	NUWTUBE90	US90
	2/0 Stranded	RT3CM2/0 B	NUWTUBE90	US90
	3/0 Stranded	RT3CM3/0 B	NUWTUBE150	US150
	4/0 Stranded	RT3CM4/0 B	NUWTUBE150	US150
	250 MCM	RT3CM25C MB	NUWTUBE150	US150
350 MCM	300 MCM	RT3CM3C MB	NUWTUBE200	US200
	#2 Stranded	RT35CM2 B	NUWTUBE90	US90
	1/0 Stranded	RT35CM1/0 B	NUWTUBE90	US90
	2/0 Stranded	RT35CM2/0 B	NUWTUBE90	US90
	3/0 Stranded	RT35CM3/0 B	NUWTUBE150	US150
	4/0 Stranded	RT35CM4/0 B	NUWTUBE150	US150
500 MCM	250 MCM	RT35CM25C MB	NUWTUBE200	US200
	300 MCM	RT35CM3C MB	NUWTUBE200	US200
	350 MCM	RT35CM35C MB	NUWTUBE200	US200
	#2 Stranded	RT5CM2 B	NUWTUBE90	US90
	1/0 Stranded	RT5CM1/0 B	NUWTUBE90	US90
	2/0 Stranded	RT5CM2/0 B	NUWTUBE90	US90
750 MCM	4/0 Stranded	RT5CM4/0 B	NUWTUBE150	US150
	250 MCM	RT5CM25C MB	NUWTUBE200	US200
	300 MCM	RT5CM3C MB	NUWTUBE200	US200
	350 MCM	RT5CM35C MB	NUWTUBE200	US200
	500 MCM	RT5CM5C MB	NUWTUBE2X150	US300
	1/0 Stranded	RT75CM1/0 B	NUWTUBE150	US150
1000 MCM	2/0 Stranded	RT75CM2/0 B	NUWTUBE150	US150
	4/0 Stranded	RT75CM4/0 B	NUWTUBE150	US150
	250 MCM	RT75CM25C MB	NUWTUBE200	US200
	300 MCM	RT75CM3C MB	NUWTUBE200	US200
	350 MCM	RT75CM35C MB	NUWTUBE250	US250
	500 MCM	RT75CM5C MC	NUWTUBE2X200	US400
	750 MCM	RT75CM75C MC	NUWTUBE2X250	US500
	1/0 Stranded	RT1MM1/0 B	NUWTUBE150	US150
2/0 Stranded	RT1MM2/0 B	NUWTUBE150	US150	
4/0 Stranded	RT1MM4/0 B	NUWTUBE200	US200	
250 MCM	RT1MM25C MB	NUWTUBE200	US200	
300 MCM	RT1MM3C MB	NUWTUBE200	US200	
350 MCM	RT1MM35C MB	NUWTUBE250	US250	
500 MCM	RT1MM5C MC	NUWTUBE2X200	US400	
750 MCM	RT1MM75C MC	NUWTUBE2X250	US500	
1000 MCM	RT1MM1MM C	NUWTUBE2X250	US500	

Cable to Cable

Mold Information:


- Price Key is the **Bold Letter** in the Mold Part No.

Required Tools & Accessories:

- MH1 - Handle for "B" & "Q" Price Key Molds (Page 73)
- MH2 - Handle for "Z" Price Key Molds (Page 73)

Recommended Tools & Accessories:

- CCBRSH1 - Cable Cleaning Brush (Page 70)
- MCBRSH1 - Mold Cleaning Brushes (Page 71)



XO

(Cross ("X") Over)




XO Connection Type

Cable Size		Mold Part No.	Weld Metal	
Run	Tap		NUWTube	UltraShot
#6 Stranded	#6 Stranded	XO66 B	NUWTUBE45	US45
#4 Stranded	#4 Stranded	XO44 B	NUWTUBE65	US65
#2 Solid	#2 Solid	XO2S2 S	NUWTUBE90	US90
#2 Stranded	#4 Stranded	XO24 B	NUWTUBE65	US65
	#2 Stranded	XO22 B	NUWTUBE90	US90
1/0 Stranded	#4 Stranded	XO1/04 Q	NUWTUBE115	US115
	#2 Stranded	XO1/02 Q	NUWTUBE115	US115
2/0 Stranded	1/0 Stranded	XO1/01/0 Q	NUWTUBE150	US150
	#2 Stranded	XO2/02 Q	NUWTUBE150	US150
3/0 Stranded	1/0 Stranded	XO2/01/0 Q	NUWTUBE200	US200
	2/0 Stranded	XO2/02/0 Q	NUWTUBE200	US200
	#2 Stranded	XO3/02 Q	NUWTUBE150	US150
	1/0 Stranded	XO3/01/0 Q	NUWTUBE200	US200
4/0 Stranded	2/0 Stranded	XO3/02/0 Q	NUWTUBE200	US200
	3/0 Stranded	XO3/03/0 Q	NUWTUBE250	US250
	#2 Stranded	XO4/02 Q	NUWTUBE150	US150
	1/0 Stranded	XO4/01/0 Q	NUWTUBE200	US200
250 MCM	2/0 Stranded	XO4/02/0 Q	NUWTUBE200	US200
	3/0 Stranded	XO4/03/0 Q	NUWTUBE250	US250
	4/0 Stranded	XO4/04/0 Q	NUWTUBE250	US250
	#2 Stranded	XO25CM2 Q	NUWTUBE150	US150
	1/0 Stranded	XO25CM1/0 Q	NUWTUBE250	US250
	2/0 Stranded	XO25CM2/0 Q	NUWTUBE250	US250
300 MCM	3/0 Stranded	XO25CM3/0 Q	NUWTUBE2X150	US300
	4/0 Stranded	XO25CM4/0 Q	NUWTUBE2X150	US300
	250 MCM	XO25CM25CM Q	NUWTUBE2X150	US300

Continued on next page

Cable to Cable



XO Connection Type Continued

Cable Size		Mold Part No.	Weld Metal	
Run	Tap		NUWTube	UltraShot
300 MCM	#2 Stranded	XO3CM2 Q	NUWTUBE150	US150
	1/0 Stranded	XO3CM1/0 Q	NUWTUBE250	US250
	2/0 Stranded	XO3CM2/0 Q	NUWTUBE250	US250
	3/0 Stranded	XO3CM3/0 Q	NUWTUBE2X150	US300
	4/0 Stranded	XO3CM4/0 Q	NUWTUBE2X150	US300
	250 MCM	XO3CM25CM Z	NUWTUBE2X200	US400
350 MCM	300 MCM	XO3CM3CM Z	NUWTUBE2X200	US400
	#2 Stranded	XO35CM2 Q	NUWTUBE200	US200
	1/0 Stranded	XO35CM1/0 Q	NUWTUBE250	US250
	2/0 Stranded	XO35CM2/0 Q	NUWTUBE2X150	US300
	3/0 Stranded	XO35CM3/0 Z	NUWTUBE2X200	US400
	4/0 Stranded	XO35CM4/0 Z	NUWTUBE2X200	US400
	250 MCM	XO35CM25CM Z	NUWTUBE2X250	US500
500 MCM	300 MCM	XO35CM3CM Z	NUWTUBE2X250	US500
	350 MCM	XO35CM35CM Z	NUWTUBE2X250	US500
	#2 Stranded	XO5CM2 Q	NUWTUBE250	US250
	1/0 Stranded	XO5CM1/0 Q	NUWTUBE2X150	US300
	2/0 Stranded	XO5CM2/0 Z	NUWTUBE2X200	US400
	3/0 Stranded	XO5CM3/0 Z	NUWTUBE2X250	US500
	4/0 Stranded	XO5CM4/0 Z	NUWTUBE2X250	US500
	250 MCM	XO5CM25CM Z	NUWTUBE2X250	US500
	300 MCM	XO5CM3CM Z	NUWTUBE3X250	US750
350 MCM	XO5CM35CM Z	NUWTUBE3X250	US750	
500 MCM	XO5CM5CM Z	NUWTUBE3X250	US750	